

according to 1907/2006/EC, Article 31

Revision: 24.08.2018

### Printing date 10.03.2020

### Version number 4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Identification of the substance/preparation: Add2 Laminate Cleaner
- UFI: XS00-Q0YT-K00C-ST2V
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against Not required.
- Sector of Use
- SU21 Consumer uses: Private households / general public / consumers
- SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) · Application of the substance / the mixture Floor cleaner
- · 1.3 Details of the supplier of the safety data sheet
- · Company/undertaking identification:

(A)

- Kronoflooring GmbH Mühlbacher Straße 1, D-01561 Lampertswalde/Dresden Tel. +49 (0)3522 33-30 Fax. +49 (0)3522 33-399
- · Further information obtainable from: t.buenker@kronospan.de
- · 1.4 Emergency telephone number: +49 178 8209195

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

### · 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components: CAS: 64-17-5 ethanol 5-10% EINECS: 200-578-6 🚸 Flam. Liq. 2, H225 Index number: 603-002-00-5 Reg.nr.: 01-2119457610-43 CAS: 107-98-2 1-methoxy-2-propanol 1-5% EINECS: 203-539-1 🚯 Flam. Lig. 3, H226; 🕩 STOT SE 3, H336 Index number: 603-064-00-3 Reg.nr.: 01-2119457435-35 · Regulation (EC) No 648/2004 on detergents / Labelling for contents non-ionic surfactants <5% perfumes (LIMONENE), preservation agents (2-BROMO-2-NITROPROPANE-1,3-DIOL, METHYLCHLOROISOTHIAZOLINONE / METHYLISOTHIAZOLINONE) (Contd. on page 2)

according to 1907/2006/EC, Article 31

Printing date 10.03.2020

#### Version number 4

Revision: 24.08.2018

### Identification of the substance/preparation: Add2 Laminate Cleaner

(Contd. of page 1)

· Additional information: For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

- No special measures required.
- · After inhalation: No special measures required.

• After skin contact: After each cleaning use treatment creams, for very dry skin greasy ointments.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Rinse out mouth and then drink plenty of water.
- $\cdot$  4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: Not applicable.
- 5.2 Special hazards arising from the substance or mixture Danger of forming toxic pyrolysis products.
- · 5.3 Advice for firefighters
- · Protective equipment: Do not inhale explosion gases or combustion gases.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Particular danger of slipping on leaked/spilled product.
- 6.2 Environmental precautions:
   Prevent from spreading (e.g. by damming-in or oil barriers).
   Dilute with plenty of water.
   Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling Follow instructions on the label and in the Technical Product Information Sheet. No special measures required.
- Information about fire and explosion protection:

No special precautions are necessary if used correctly.

(Contd. on page 3)





\_\_\_\_\_

according to 1907/2006/EC, Article 31

Printing date 10.03.2020

Version number 4

Revision: 24.08.2018

### Identification of the substance/preparation: Add2 Laminate Cleaner

(Contd. of page 2)

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Store under lock and key and out of the reach of children.
- Store receptacle in a well ventilated area.
- · 7.3 Specific end use(s) None

### **SECTION 8: Exposure controls/personal protection**

· Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- · Exposure limit values:

#### 64-17-5 ethanol

WEL Long-term value: 1920 mg/m<sup>3</sup>, 1000 ppm

- 107-98-2 1-methoxy-2-propanol
- WEL Short-term value: 560 mg/m<sup>3</sup>, 150 ppm Long-term value: 375 mg/m<sup>3</sup>, 100 ppm
- Sk
   DNELs No further relevant information available.
- **PNECs** No further relevant information available.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Occupational exposure controls:
- · General protective and hygienic measures:

Do not eat, drink, smoke or sniff while working.

Be sure to clean skin thoroughly after work and before breaks.

- · Respiratory protection: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### Material of gloves

Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Where there is a danger of the eyes coming into contact with splashes of liquid (i.e. when refilling larger quantities), safety goggles according to EN 166 (i.e. goggles with side shields) are recommended.

#### • **Body protection:** Not required.

Light weight protective clothing

(Contd. on page 4)



20

# Safety data sheet according to 1907/2006/EC, Article 31

Version number 4

Revision: 24.08.2018

(Contd. of page 3)

### Identification of the substance/preparation: Add2 Laminate Cleaner

# · Limitation and supervision of exposure into the environment

Follow instructions for use, dosage and waste disposal.

SECTION 9: Physical and chemical pro	perties	
• 9.1 Information on basic physical and chemical properties • General Information		
· Appearance: Form:	Fluid	
Colour:	Colourless	
· Odour:	Fruit-like	
· Odour threshold:	Not determined.	
· pH-value at 20°C:	7.5	
· Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range	: 100°C	
· Flash point:	>100°C (Seta Flash Closed Cup)	
· Flammability (solid, gas):	Undetermined.	
· Ignition temperature:	425°C	
· Decomposition temperature:	Not determined.	
· Auto-ignition temperature:	Product is not selfigniting.	
· Explosive properties:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure at 20°C:	23 hPa	
· Density at 20°C:	0.998 g/cm <sup>3</sup>	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
<ul> <li>Solubility in / Miscibility with</li> </ul>		
water:	Fully miscible.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic at 20°C:	22 s (ISO 3 mm)	
· Solvent content:		
Organic solvents:	7.4 %	
<ul> <li>9.2 Other information</li> </ul>	No further relevant information available.	

# SECTION 10: Stability and reactivity

· 10.1 Reactivity see section "Possibility of hazardous reactions".

• **10.2 Chemical stability** No information available.

· Conditions to avoid: No decomposition if used and stored according to specifications.

(Contd. on page 5)

GB



Printing date 10.03.2020

according to 1907/2006/EC, Article 31

Printing date 10.03.2020

#### Version number 4

Revision: 24.08.2018

Identification of the substance/preparation: Add2 Laminate Cleaner

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No dangerous reactions known.
- 10.6 Hazardous decomposition products: Danger of forming toxic pyrolysis products.

## **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

### · LD/LC50 values relevant for classification:

107-98-2 1-methoxy-2-propanol
-------------------------------

Oral	LD50	5,200 mg/kg (rat)
Dermal	LD50	14,000 mg/kg (rabbit)
Inholotivo	LI OFO/AL	E4 C mall (rot)

Inhalative LC50/4h 54.6 mg/l (rat)

### 52-51-7 bronopol (INN)

	-	
Oral	LD50	305 mg/kg (rat) (OECD 401)
Dermal	LD50	1,600 mg/kg (rabbit)

• Primary irritant effect:

- · Skin corrosion/irritation No data available.
- Serious eye damage/irritation No data available.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Repeated dose toxicity Undetermined.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Undetermined.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- Aquatic toxicity:
- Undetermined.

### 107-98-2 1-methoxy-2-propanol

EC50/48h 23,300 mg/l (Daphnia magna)

### 52-51-7 bronopol (INN)

LC50/96h 41.2 mg/l (Oncorhynchus mykiss (Rainbow trout))

EC50/72h 0.4-2.8 mg/l (algae)

· 12.2 Persistence and degradability

The surfactants contained in the product correspond to the legislation on the environmental compatibility of detergents and are biodegradable.

- The solvent is biodegradable.
- · 12.3 Bioaccumulative potential Undetermined.
- · 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- · Behaviour in sewage processing plants:

Technically correct releases of minimal concentrations to adapted biological sewage plants, will not disturb the biodegradability of activated sludge. Before allowing large quantities to be fed into sewage plants, obtain the approval of the responsible authorities.



(Contd. of page 4)

according to 1907/2006/EC, Article 31

Revision: 24.08.2018

# Identification of the substance/preparation: Add2 Laminate Cleaner

(Contd. of page 5)

# Additional ecological information:

· General notes:

Printing date 10.03.2020

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow to reach ground water/water course. Do not allow undiluted product or large quantities of it to reach sewage system.

· 12.5 Results of PBT and vPvB assessment

· PBT: Not applicable.

- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

#### · Recommendation

Must be specially treated adhering to official regulations. Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

<ul> <li>European waste catalogue</li> </ul>
--

20 01 30 detergents other than those mentioned in 20 01 29

07 06 01\* aqueous washing liquids and mother liquors

### · Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Packagings that may not be cleansed are to be disposed of in the same manner as the product.

 $\cdot$  Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information		
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
<ul> <li>· 14.2 UN proper shipping name</li> <li>· ADR, ADN, IMDG, IATA</li> </ul>	Void	
<ul> <li>14.3 Transport hazard class(es)</li> </ul>		
· ADR, ADN, IMDG, IATA · Class	Void	
<ul> <li>· 14.4 Packing group</li> <li>· ADR, IMDG, IATA</li> </ul>	Void	
<ul> <li>• 14.5 Environmental hazards:</li> <li>• Marine pollutant:</li> </ul>	No	
· 14.6 Special precautions for user	Not applicable.	
<ul> <li>14.7 Transport in bulk according to Annex Marpol and the IBC Code</li> </ul>	<b>II of</b> Not applicable.	
· Transport/Additional information:		
· ADR		
· Remarks:	Not classified as Dangerous Good according to Special Provision 144, chap. 3.3 ADR.	
	(Contd. on page 7	



Version number 4



Versio

according to 1907/2006/EC, Article 31

Printing date 10.03.2020

#### Version number 4

Revision: 24.08.2018

### Identification of the substance/preparation: Add2 Laminate Cleaner

UN "Model Regulation":

Void

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:
- · Other regulations, limitations and prohibitive regulations Other regulations (EC): Regulation (EC) No 648/2004
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H336 May cause drowsiness or dizziness. · Training hints ---· Recommended restriction of use ---· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids - Category 2 Flam. Liq. 3: Flammable liquids - Category 3 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Sources Safety data sheet for raw materials, eur-lex.europa.eu GB



(Contd. of page 6)